



NTN Bearing Driveshaft do Brasil



NTN UCF207-107D1 Flange Block Bearings

Bearing No. UCF207-107D1

UCF207-107D1 Bearing 2D drawings and 3D CAD models

| | |
|---------------------------|--|
| Category | Flange Block Bearings |
| Inventory | 3.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight | 1.461 |
| EAN | 4547359502183 |
| Product Group | M06110 |
| Number of Mounting Holes | 4 |
| Mounting Method | Set Screw |
| Housing Style | 4 Bolt Square Flange Block |
| Rolling Element | Ball Bearing |
| Housing Material | Cast Iron |
| Expansion / Non-expansion | Non-expansion |
| Mounting Bolts | 1/2 Inch |
| Relubricatable | Yes |
| Insert Part Number | UC207-107D1 |
| Seals | Single Lip Land Riding |
| Housing Configuration | 1 Piece Solid |
| Pilot Configuration | No Pilot |
| Inch - Metric | Inch |
| Long Description | 4 Bolt Square Flange Block; 1-7/16" Bore; 5.1" Bolt Circle; 3-5/8" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 1.689" Length Thru Bore; Relubricatable; S |
| Other Features | Single Row Light Duty |



NTN Bearing Driveshaft do Brasil

| | |
|------------------------------------|---|
| | Wide Inner Race Has Flinger |
| Category | Flange Block |
| UNSPSC | 31171501 |
| Harmonized Tariff Code | 8483.20.40.40 |
| Noun | Bearing |
| Keyword String | Flanged |
| Manufacturer URL | http://www.ntnamerica.com |
| Manufacturer Item Number | UCF207-107D1 |
| Weight / LBS | 3.1 |
| D | 1.689 Inch 42.901 Millimeter |
| Bolt Spacing | 3.625 Inch 92.075 Millimeter |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Nominal Bolt Circle Diameter Round | 5.1 Inch 129.5 Millimeter |
| d | 1.438 Inch 36.525 Millimeter |
| bore diameter: | 1.4375 in |
| radial dynamic load capacity: | 5750 lb |
| bolt center-to-center length: | 3.6250 in |
| radial static load capacity: | 3440 lb |
| overall length/diameter: | 4.5938 in |
| seal type: | Contact with Flinger |
| bore type: | Round |
| length through bore: | 1-3/4 in |
| duty type: | Light Duty |
| finish/coating: | Uncoated |
| mounting type: | Four-Bolt Flange |
| lubrication type: | Lubrication Fitting |
| housing material: | Cast Iron |
| | |



NTN Bearing Driveshaft do Brasil

| | |
|----------------------|----------------------------------|
| series: | UCF2 |
| locking device: | Set Screw |
| standards met: | ISO, AFBMA |
| expansion type: | Non-Expansion Bearing (Fixed) |
| replacement bearing: | UC207-107D1 |