



NTN Bearing Driveshaft do Brasil



NTN UCFX17-307D1 Flange Block Bearings

Bearing No. UCFX17-307D1

UCFX17-307D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	1.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	11.811
EAN	4547359502015
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	UCX17-307D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 3-7/16" Bore; 9.6" Bolt Circle; 6-47/64" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 3.78" Length Thru Bore; Relubricatable;
Other Features	Single Row Medium Duty



NTN Bearing Driveshaft do Brasil

	Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCFX17-307D1
Weight / LBS	24
d	3.438 Inch 87.325 Millimeter
Nominal Bolt Circle Diameter Round	9.6 Inch 243.8 Millimeter
D	3.78 Inch 96.012 Millimeter
Bolt Spacing	6.734 Inch 171.044 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
bore diameter:	3.4375 in
radial dynamic load capacity:	21590 lb
bolt center-to-center length:	6.7344 in
radial static load capacity:	16080 lb
overall length/diameter:	8.4375 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	3-51/64 in
duty type:	Medium Duty
finish/coating:	Uncoated
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron



NTN Bearing Driveshaft do Brasil

series:	UCFX
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UCX17-307D1